



DV 850B

De stormketting is te gebruiken op zowel DIN links als DIN rechts draaiende deuren.

Geleverd standaard zoals afgebeeld: DIN rechts.

De veer bevindt zich in een zwart plastic koker aan de rechterkant van de bevestigingsplaat.


Voor een DIN linkse deur kan de zwarte koker met veer linksom worden gezet.

Let op:
De koker met veer moet ten allen tijden gelijk liggen in de lengterichting van de ketting bij een geopende deur.

Artikelnummer:
0310.100.0850

DULIMEX BV
QUALITY HARDWARE / KWALITEITSBOUWBESLAG


Montage : DV 850



Aalbosweg 20, 8171 MA Vaassen - P.O. Box 20, 8170 AA Vaassen - The Netherlands - Tel. +31 (0)578 57 11 24 - Fax: +31 (0)578 57 11 57
e-mail: dulimex@worldonline.nl - ABN Amro Bank NLG 41.46.69.347 - DEM 14.23.924/002 - GBP 56.85.89.270 - USD 61.75.46.886
VAT no. NL801821745B03

For all our offers and deliveries we refer to our General terms of delivery and payment filed with the Veluwe and Twente Chamber of Commerce.

DULIMEX B.V.
Postbus 20 - 8170 AA Vaassen
HOLLAND



Stormketting met demper